

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A recognition-identification card comprising: ~~a second sheet member, a first sheet member and an image carrier layer;~~
~~a first sheet member; and~~
~~a second sheet member;~~ in that order,
wherein said the first sheet member is a white polyester having a degree of whiteness of 80 through to 95 percent, and an ultraviolet absorber-containing layer is arranged between said the first sheet member and the image carrier layer.

2. (Currently Amended) The recognition-identification card described in of Claim 1, wherein a cushioning layer is arranged between said the first sheet member and the image carrier layer.

3. (Currently Amended) A recognition-identification card comprising: ~~a second sheet member, a first sheet member and~~

an image carrier layer;
a first sheet member; and
a second sheet member; for carrying an image in that order,
wherein said the first sheet member is a white polyester
having a degree of whiteness of 80 through to 95 percent, and a
silane coupling agent-containing layer and a cushioning layer are
arranged between said the first sheet member and the image
carrier layer.

4. (Currently Amended) The recognition-identification card
~~described in of~~ Claim 1, wherein an electronic parts-containing
layer is arranged between said the first and second sheet
members.

5. (Currently Amended) The recognition-identification card
~~described in of~~ Claim 2, wherein an electronic parts-containing
layer is arranged between said the first and second sheet
members.

6. (Currently Amended) The recognition-identification card
~~described in of~~ Claim 3, wherein an electronic parts-containing
layer is arranged between said the first and second sheet
members.

7. (Currently Amended) The recognition-identification card described in any one of Claims 2, 3, 5 and 6 of Claim 2, wherein the penetration displacement [[of]] with a thermal mechanical analyzer (TMA) at a temperature of 100 degrees Celsius does not exceed 30 percent with respect to ~~said a~~ thickness of cushioning layer, and ~~said the~~ penetration displacement [[of]] measured with the thermal mechanical analyzer (TMA) at a temperature of 170 degrees Celsius is not less than 30 percent with respect to the thickness of the cushioning layer.

8. (Currently Amended) The recognition-identification card of Claim 1, described in any one of Claims 1 through 7 wherein an image of the said image carrier layer is further characterized in that an image is set according to at least one of a [[said]] sublimation heat transfer method, ~~and/or any one of said a~~ fusion heat transfer method, an inkjet method and a retransfer method.

9. (Currently Amended) A recognition-identification card comprising: ~~a second sheet member, a first sheet member and an image carrier layer;~~
a first sheet member; and
a second sheet member; in that order,

wherein ~~said~~ the first sheet member is a white polyester having a degree of whiteness of 80 ~~through~~ to 95 percent, and a surface protective layer containing ~~at least~~ a photocurable resin and an ultraviolet absorber is arranged on ~~said~~ the image carrier layer.

10. (Currently Amended) The recognition-identification card ~~described in~~ of Claim 9₁, wherein an electronic parts-containing layer is arranged between ~~said~~ the first and second sheet members.

11. (Currently Amended) The recognition-identification card ~~described in any one of Claims 1 through 10 of~~ Claim 1, wherein identification information and bibliographical information are recorded on ~~said~~ the image carrier layer.

12. (Currently Amended) The recognition-identification card ~~described in~~ of Claim 11₁, wherein identification information represents personnel information on address, name and ~~the~~ date of birth.

13. (Currently Amended) The recognition-identification card described in any one of Claims 1 through 10 of Claim 1, wherein a face image is recorded on ~~said~~ the image carrier layer.

14. (Currently Amended) A method of manufacturing a recognition-identification card ~~wherein~~ having an image is formed on an image carrier layer, and a surface protective layer containing ~~said~~ a photocurable resin and ultraviolet absorber is transferred onto said card substrate containing a second sheet member, a first sheet member composed of being a white polyester having a degree of whiteness of 80 through to 95 percent, and a second sheet member in that order comprising the steps of: and

image forming on an image carrier layer and providing a surface protective layer containing in that order, using a photocurable resin layer and a transfer foil containing an ultraviolet absorber [[on]] onto said the image carrier layer with ~~said~~ the image formed thereon.

15. (Currently Amended) A method of manufacturing a recognition-identification card ~~wherein~~ having an image is formed on an image carrier layer, and a surface protective layer containing ~~said~~ photocurable resin and

~~ultraviolet absorber is transferred onto said card substrate containing a second sheet member, a first sheet member composed of being a white polyester having a degree of whiteness of 80 through to 95 percent, and a second sheet member in that order, comprising the steps of:~~

~~image forming on an image carrier layer, and providing a surface protective layer containing in that order, as well as a layer containing electronic parts between said first and second sheet members, using a photocurable resin layer and a transfer foil containing an ultraviolet absorber [[on]] onto said the~~
~~image carrier layer with said the image formed thereon.~~

16. (Currently Amended) The method of manufacturing [[a]] the recognition-identification card ~~of described in~~ Claim 14, or 15 wherein identification information and bibliographical information are recorded on said the image carrier layer.

17. (Currently Amended) The method of manufacturing [[a]] the recognition-identification card ~~described in of~~ Claim 16, wherein identification information represents personnel information on address, name and said date of birth.

18. (Currently Amended) The method of manufacturing [[a]] the recognition-identification card ~~described in of~~ Claim 14, or 15 10 wherein a face image is recorded on said the image carrier layer.